

Safety Data Sheet

PT 565 Plus XLO Pressurized Contact Insecticide

Revision date : 2023/12/22

Page: 1/15

Version: 13.0

(30628479/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

PT 565 Plus XLO Pressurized Contact Insecticide

Recommended use of the chemical and restriction on use

Recommended use*: insecticide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number: 458813

Registration number: EPA Registration number: 499-290

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

STOT SE	3 (May cause drowsiness and dizziness.)	Specific target organ toxicity — single exposure
STOT SE	3 (irritating to respiratory system)	Specific target organ toxicity — single exposure

Safety Data Sheet

PT 565 Plus XLO Pressurized Contact Insecticide

Revision date: 2023/12/22

Version: 13.0

Page: 2/15

(30628479/SDS_CPA_US/EN)

Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic
Eye Irrit.	2B	Eye irritation
Aerosol	1	Aerosols

Label elements

Pictogram:



Signal Word:
Danger

Hazard Statement:

H222	Extremely flammable aerosol.
H229	Pressurized container: May burst if heated.
H320	Causes eye irritation.
H336	May cause drowsiness or dizziness.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P273	Avoid release to the environment.
P271	Use only outdoors or in a well-ventilated area.
P261	Avoid breathing mist or vapour or spray.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P312	Call a POISON CENTER or physician if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P391	Collect spillage.
P337 + P313	If eye irritation persists: Get medical attention.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.
------	---

Hazards not otherwise classified

Labeling of special preparations (GHS):

Safety Data Sheet

PT 565 Plus XLO Pressurized Contact Insecticide

Revision date: 2023/12/22

Version: 13.0

Page: 3/15

(30628479/SDS_CPA_US/EN)

Repeated exposure may cause skin dryness or cracking.
May cause paraesthesia. Contains: Pyrethrins

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Pyrethrins

CAS Number: 8003-34-7

Content (W/W): 0.5 %

Synonym: Pyrethrin

Piperonylbutoxide

CAS Number: 51-03-6

Content (W/W): 1.0 %

Synonym: Piperonylbutoxide

n-Octyl bicycloheptene dicarboximide

CAS Number: 113-48-4

Content (W/W): 1.0 %

Synonym: n-Octyl bicycloheptene dicarboximide

Acetone

CAS Number: 67-64-1

Content (W/W): ≥ 50.0 - $< 75.0\%$

Synonym: 2-Propanone Acetone; Dimethyl ketone

carbon dioxide

CAS Number: 124-38-9

Content (W/W): ≥ 5.0 - $< 7.0\%$

Synonym: No data available.

Distillates (petroleum), hydrotreated light

CAS Number: 64742-47-8

Content (W/W): ≥ 1.0 - $< 3.0\%$

Synonym: No data available.

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Wash thoroughly with soap and water

Safety Data Sheet

PT 565 Plus XLO Pressurized Contact Insecticide

Revision date: 2023/12/22

Version: 13.0

Page: 4/15

(30628479/SDS_CPA_US/EN)

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Vomiting may cause aspiration pneumonia due to the ingredients.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Vomiting may cause aspiration pneumonia due to the ingredients.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
carbon dioxide, foam, dry powder, water spray

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide,
Aerosol container contains flammable gas under pressure. Pressure inside container is increased when heated, and may cause explosion. If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Safety Data Sheet

PT 565 Plus XLO Pressurized Contact Insecticide

Revision date: 2023/12/22

Version: 13.0

Page: 5/15

(30628479/SDS_CPA_US/EN)

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

Storage stability:

May be kept indefinitely if stored properly.

If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet.

Storage duration: 24 Months

Protect from temperatures above: 130 °F

Explosive at or above indicated temperature.

Safety Data Sheet

PT 565 Plus XLO Pressurized Contact Insecticide

Revision date: 2023/12/22

Version: 13.0

Page: 6/15

(30628479/SDS_CPA_US/EN)

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Acetone	ACGIH, US:	TWA value 250 ppm ;
	ACGIH, US:	STEL value 500 ppm ;
	OSHA Z1:	PEL 1,000 ppm 2,400 mg/m3 ;
carbon dioxide	ACGIH, US:	TWA value 5,000 ppm ;
	ACGIH, US:	STEL value 30,000 ppm ;
	OSHA Z1:	PEL 5,000 ppm 9,000 mg/m3 ;

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift.

Safety Data Sheet

PT 565 Plus XLO Pressurized Contact Insecticide

Revision date: 2023/12/22
Version: 13.0

Page: 7/15
(30628479/SDS_CPA_US/EN)

No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	liquid, aerosol
Odour:	of acetone
Odour threshold:	Not determined due to potential health hazard by inhalation.
Colour:	amber, cloudy
pH value:	approx. 8 - 10 (1 %(m), 20 - 25 °C)
Flammability:	Extremely flammable.
Flammability of Aerosol Products:	> 18 in (ASTM D 3065)
NFPA 30B flammability:	Level 2 Aerosol
Lower explosion limit:	3.4 %(V) The product has not been tested. The statement has been derived from the properties of the individual components.
Upper explosion limit:	18 %(V) The product has not been tested. The statement has been derived from the properties of the individual components.
Autoignition:	350 °C Information applies to the solvent.
Density:	approx. 0.86 g/cm ³ (20 °C)
Vapour density:	not applicable
Partitioning coefficient n-octanol/water (log Pow):	not applicable
Thermal decomposition:	carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.
Viscosity, dynamic:	0.99 mPa.s (20 °C)
Solubility in water:	slightly soluble
Evaporation rate:	not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Safety Data Sheet

PT 565 Plus XLO Pressurized Contact Insecticide

Revision date: 2023/12/22

Version: 13.0

Page: 8/15

(30628479/SDS_CPA_US/EN)

Possibility of hazardous reactions

The product is chemically stable.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Incompatible materials

No substances known that should be avoided.

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Slightly toxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

Oral

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

No mortality was observed.

Inhalation

Type of value: LC50

Species: rat

Value: > 7.4 mg/l

Type of value: LC50

Species: rat

Value: > 2.1 mg/l

No mortality was observed.

Dermal

Type of value: LD50

Safety Data Sheet

PT 565 Plus XLO Pressurized Contact Insecticide

Revision date: 2023/12/22

Version: 13.0

Page: 9/15

(30628479/SDS_CPA_US/EN)

Species: rat
Value: > 2,000 mg/kg
No mortality was observed.

Assessment other acute effects

Assessment of STOT single:

Possible narcotic effects (drowsiness or dizziness). Causes temporary irritation of the respiratory tract.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: Eye contact causes irritation. Not irritating to the skin.

Skin

Species: rabbit
Result: non-irritant

Eye

Species: rabbit
Result: Irritant.

Sensitization

Assessment of sensitization: No sensitizing effect.

Species: guinea pig
Result: Non-sensitizing.

Aspiration Hazard

May also damage the lung at swallowing (aspiration hazard). The product has not been tested. The statement has been derived from the properties of the individual components.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: n-Octyl bicycloheptene dicarboximide

Assessment of repeated dose toxicity: The substance may cause damage to the liver after repeated ingestion of high doses, as shown in animal studies.

Information on: Piperonylbutoxide

Assessment of repeated dose toxicity: The substance may cause damage to the liver after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the liver after repeated inhalation of high doses. Repeated dermal uptake of the substance did not cause substance-related effects.

Information on: carbon dioxide

Assessment of repeated dose toxicity: Prolonged or repeated exposure by inhalation to high concentrations may cause circulatory insufficiency leading to headache, nausea, vomiting and potentially death.

Safety Data Sheet

PT 565 Plus XLO Pressurized Contact Insecticide

Revision date: 2023/12/22

Version: 13.0

Page: 10/15

(30628479/SDS_CPA_US/EN)

Genetic toxicity

Assessment of mutagenicity: Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyrethrum

Assessment of carcinogenicity: The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Not Likely to Be Carcinogenic to Humans.

Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-

Assessment of carcinogenicity: Not classified, due to lack of data. Not listed as a carcinogen by OSHA, IARC, & NTP.

Information on: n-Octyl bicycloheptene dicarboximide

Assessment of carcinogenicity: In long-term animal studies in which the substance was given in high doses by feed, a carcinogenic effect was observed. The induction of tumors in animal studies was due to a reversible, nongenotoxic effect for which a threshold dose can be derived.

Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Teratogenicity

Assessment of teratogenicity: Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Other Information

Misuse can be harmful to health.

Has a degreasing effect on skin.

12. Ecological Information

Toxicity

Toxicity to fish

Information on: pyrethrum

LC50 (96 h) 0.0052 mg/l, Oncorhynchus mykiss (static)

LC50 (96 h) 0.01 mg/l, Lepomis macrochirus

Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-

LC50 3.49 mg/l, Cyprinodon variegatus

LC50 1.9 mg/l, Oncorhynchus mykiss

Safety Data Sheet

PT 565 Plus XLO Pressurized Contact Insecticide

Revision date: 2023/12/22

Version: 13.0

Page: 11/15

(30628479/SDS_CPA_US/EN)

Information on: dimethyl ether

Toxicity to fish

Information on: Piperonylbutoxide

LC50 (96 h) 3.49 mg/l, *Cyprinodon variegatus* (OECD Guideline 203, Flow through.)

The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

Information on: n-Octyl bicycloheptene dicarboximide

LC50 (96 h) 2.4 mg/l, *Lepomis macrochirus* (other, Flow through.)

LC50 (96 h) 1.4 mg/l, *Oncorhynchus mykiss* (other, Flow through.)

Information on: Pyrethrins

LC50 (96 h) 0.0052 mg/l, *Oncorhynchus mykiss*

Aquatic invertebrates

Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-

LC50 0.51 mg/l, *Gammarus fasciatus*

LC50 0.49 mg/l, *Mysidopsis bahia*

Information on: dimethyl ether

Aquatic invertebrates

Information on: Piperonylbutoxide

EC50 (48 h) 0.51 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, Flow through.)

The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

No observed effect concentration (28 d) 0.063 mg/l, aquatic arthropod (other)

The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. Limit concentration test only (LIMIT test).

Information on: n-Octyl bicycloheptene dicarboximide

EC50 (48 h) 2.3 mg/l, *Daphnia magna* (other, Flow through.)

Information on: Pyrethrins

EC50 (96 h) 0.0014 mg/l, *Mysidopsis bahia*

Aquatic plants

Information on: Piperonylbutoxide

EC50 (72 h) 3.89 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

No observed effect concentration (72 h) 0.824 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

Safety Data Sheet

PT 565 Plus XLO Pressurized Contact Insecticide

Revision date: 2023/12/22

Version: 13.0

Page: 12/15

(30628479/SDS_CPA_US/EN)

Chronic toxicity to fish

Information on: Piperonylbutoxide

No observed effect concentration (35 d) 0.18 mg/l, Pimephales promelas (OPP 72-4 (EPA-Guideline), Flow through.)

The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

Information on: Pyrethrins

No observed effect concentration 0.0019 mg/l, Pimephales promelas

Chronic toxicity to aquatic invertebrates

Information on: Piperonylbutoxide

No observed effect concentration (21 d) 0.03 mg/l, Daphnia magna (OPP 72-4 (EPA-Guideline), Flow through.)

The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

Information on: Pyrethrins

No observed effect concentration (28 d) 0.00086 mg/l, Daphnia magna

Persistence and degradability

Assessment biodegradation and elimination (H₂O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential

Information on: Piperonylbutoxide

Bioconcentration factor: 91 - 380 (28 d), Lepomis macrochirus (OECD Guideline 305 E)

Information on: Pyrethrins

Bioconcentration factor: 471

Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Safety Data Sheet

PT 565 Plus XLO Pressurized Contact Insecticide

Revision date: 2023/12/22
Version: 13.0

Page: 13/15
(30628479/SDS_CPA_US/EN)

Information on: Piperonylbutoxide

Adsorption to solid soil phase is not expected.

Information on: n-Octyl bicycloheptene dicarboximide

*The substance will not evaporate into the atmosphere from the water surface.
Adsorption to solid soil phase is expected.*

Information on: Pyrethrins

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

14. Transport Information

Land transport

USDOT

Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2.1, EHSM
Proper shipping name:	AEROSOLS

Sea transport

IMDG

Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2.1, EHSM
Marine pollutant:	YES
Proper shipping name:	AEROSOLS (contains DIMETHYLETHER, PYRETHRIN 1)

Air transport

IATA/ICAO

Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2.1
Proper shipping name:	AEROSOLS, FLAMMABLE

Further information

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

Safety Data Sheet

PT 565 Plus XLO Pressurized Contact Insecticide

Revision date: 2023/12/22

Version: 13.0

Page: 14/15

(30628479/SDS_CPA_US/EN)

15. Regulatory Information

Federal Regulations

Registration status:

Crop Protection TSCA, US released / exempt

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

EPCRA 313:

<u>CAS Number</u>	<u>Chemical name</u>
51-03-6	Piperonylbutoxide

<u>CERCLA RQ</u>	<u>CAS Number</u>	<u>Chemical name</u>
5000 LBS	67-64-1	Acetone
100 LBS	115-10-6; 64742-47-8	dimethyl ether; Distillates (petroleum), hydrotreated light
1 LBS	8003-34-7	Pyrethrins

State regulations

<u>State RTK</u>	<u>CAS Number</u>	<u>Chemical name</u>
PA	67-64-1	Acetone
	115-10-6	dimethyl ether
	124-38-9	carbon dioxide
NJ	67-64-1	Acetone
	115-10-6	dimethyl ether
	124-38-9	carbon dioxide
	51-03-6	Piperonylbutoxide

NFPA Hazard codes:

Health: 1 Fire: 3 Reactivity: 1 Special:

Labeling requirements under FIFRA

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:

EXTREMELY FLAMMABLE.

KEEP OUT OF REACH OF CHILDREN.

Hazards to humans and domestic animals.

HARMFUL IF SWALLOWED.

HARMFUL IF ABSORBED THROUGH SKIN.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Aerosol container contains flammable gas under pressure.

Safety Data Sheet

PT 565 Plus XLO Pressurized Contact Insecticide

Revision date: 2023/12/22

Version: 13.0

Page: 15/15

(30628479/SDS_CPA_US/EN)

16. Other Information

SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2023/12/22

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

END OF DATA SHEET